

# SAFETY DATA SHEET

Date Printed: 05/11/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (3N) 99.9% Tetrakis(diethylamino)zirconium

**Product Code:** ZR-TDEA-03-LIQ

**CAS Number:** 13801-49-5

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Water-react. 2 H261 In contact with water releases flammable gas.

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Label elements

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02d GHS05

Signal word Danger

Hazard-determining components of labeling:

Tetrakis(diethylamino)zirconium, 99%

Hazard statements

H225 Highly flammable liquid and vapor.

H261 In contact with water releases flammable gas.  
H314 Causes severe skin burns and eye damage.  
Precautionary statements  
P231+P232 Handle under inert gas. Protect from moisture.  
P235 Keep cool.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/  
shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present  
and easy to do. Continue rinsing.  
P422 Store contents under inert gas.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
Classification system:  
NFPA ratings (scale 0 - 4)  
Health = 3  
Fire = 0  
Reactivity = 2  
The substance demonstrates unusual reactivity with water.  
HMIS-ratings (scale 0 - 4)  
Health = 3  
Fire = 0  
Reactivity = 2  
Other hazards  
Results of PBT and vPvB assessment  
PBT: Not applicable.  
vPvB: Not applicable.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical characterization: Substances  
CAS No. Description  
13801-49-5 Tetrakis(diethylamino)zirconium, 99%

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures  
General information: Immediately remove any clothing soiled by the product.  
After inhalation: In case of unconsciousness place patient stably in side position for transportation.  
After skin contact: Immediately wash with water and soap and rinse thoroughly.  
After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.  
After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.  
Information for doctor:  
Most important symptoms and effects, both acute and delayed No further relevant information available.  
Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents:

Sand. Do not use water.

CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling:

Precautions for safe handling Open and handle receptacle with care.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage: Keep cool.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Recommended storage temperature: Store at temperatures not exceeding -18 °C.

Specific end use(s) No further relevant information available.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment: Not required.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and

varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly sealed goggles

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid

Color: Yellow

Odor: Fish-like

Odor threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: no data °C

Boiling point/Boiling range: 112 /0.1mm °C (234 /32mm °F)

Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Auto igniting: Not determined.

Danger of explosion: Not determined.

Explosion limits:

Lower: Not determined.

Upper: Not determined.

Vapor pressure: no data hPa

Density at 20 °C (68 °F): 1.026 g/cm<sup>3</sup> (8.562 lbs/gal)

Relative density Not determined.  
Vapor density Not determined.  
Evaporation rate Not determined.  
Solubility in / Miscibility with  
Water: Not miscible or difficult to mix.  
Partition coefficient (n-octanol/water): Not determined.  
Viscosity:  
Dynamic: Not determined.  
Kinematic: Not determined.  
Solvent content:  
Organic solvents: 0.0 %  
VOC content: 0.0 g/l / 0.00 lb/gl  
Other information No further relevant information available.

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No further relevant information available.  
Chemical stability  
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.  
Possibility of hazardous reactions No dangerous reactions known.  
Conditions to avoid No further relevant information available.  
Incompatible materials: No further relevant information available.  
Hazardous decomposition products: No dangerous decomposition products known.

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity:  
Primary irritant effect:  
on the skin: Caustic effect on skin and mucous membranes.  
on the eye:  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.  
Sensitization: No sensitizing effects known.  
Additional toxicological information:  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
Carcinogenic categories  
IARC (International Agency for Research on Cancer)  
Substance is not listed.  
NTP (National Toxicology Program)  
Substance is not listed.  
OSHA-Ca (Occupational Safety & Health Administration)  
Substance is not listed.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity: No further relevant information available.  
Persistence and degradability No further relevant information available.  
Behavior in environmental systems:  
Bioaccumulative potential No further relevant information available.  
Mobility in soil No further relevant information available.  
Additional ecological information:  
General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
Results of PBT and vPvB assessment  
PBT: Not applicable.  
vPvB: Not applicable.  
Other adverse effects No further relevant information available.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Recommendation:  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Uncleaned packagings:  
Recommendation: Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number  
DOT, IMDG, IATA UN3399  
UN proper shipping name  
DOT, IATA Organometallic substance, liquid, water-reactive, flammable  
IMDG ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE  
Transport hazard class(es)  
DOT  
Class 4.3 Substances which, in contact with water, emit flammable gases  
Label 4.3, 3  
IMDG  
Class 4.3 Substances which, in contact with water, emit flammable gases  
Label 4.3/3  
IATA  
Class 4.3 Substances which, in contact with water, emit flammable gases  
Label 4.3 (3)  
Packing group  
DOT, IMDG, IATA II  
Environmental hazards:  
Marine pollutant: No  
Special precautions for user Not applicable.  
EMS Number: F-G,S-N  
Stowage Category D  
Stowage Code SW2 Clear of living quarters.  
Handling Code H1 Keep as dry as reasonably practicable  
Segregation Code SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a

distance of 6 m athwartship shall be maintained.

SG35 Stow "separated from" acids.

Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Quantity limitations On passenger aircraft/rail: 1 L

On cargo aircraft only: 5 L

IMDG

Limited quantities (LQ) 500 ml

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation": UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATERREACTIVE,  
FLAMMABLE, 4.3 (3), II

---

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

GHS02 GHS05

Signal word Danger

Hazard-determining components of labeling:

Tetrakis(diethylamino)zirconium, 99%

Hazard statements

H225 Highly flammable liquid and vapor.

H261 In contact with water releases flammable gas.

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.

P235 Keep cool.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.