

SAFETY DATA SHEET

Date Printed: 05/26/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifier: Bi-50% Pb-39% Cd-7% Sn-4%

Product Code: BIPB-CDSN-01-P.04SN

CAS Number: 76093-98-6

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351
Emergency telephone number:
+1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 2), H330

Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1A), H350

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - repeated exposure (Category 1), H372

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

2.2 GHS Label elements, including precautionary statements



Pictogram

Signal word Danger

Hazard statement(s)

H330 Fatal if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/ fume/ gas/ mist/ Vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/ container to an approved waste disposal plant.
2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component Classification Concentration

Cadmium Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

CAS-No.

EC-No.

Index-No.

7440-43-9

231-152-8

048-002-00-0

Acute Tox. 2; Muta. 2; Carc.

1B; Repr. 2; STOT RE 1;

Aquatic Acute 1; Aquatic

Chronic 1; H330, H341, H350,

H361, H372, H410

>= 10 - < 20 %

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Cadmium/cadmium oxides, Bismuth oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment

must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result

in the formation of combustible dusts. The potential for combustible dust formation should be taken

into consideration

before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component CAS-No. Value Control

parameters

Basis

Cadmium 7440-43-9 TWA 0.010000

mg/m³

USA. ACGIH Threshold Limit Values

(TLV)

Remarks Kidney damage

Substances for which there is a Biological Exposure Index or Indices

(see BEI® section)

Suspected human carcinogen

TWA 0.002000

mg/m³

USA. ACGIH Threshold Limit Values

(TLV)

Kidney damage

Substances for which there is a Biological Exposure Index or Indices

(see BEI® section)

Suspected human carcinogen

Substance listed; for more information see OSHA document

1910.1027

TWA 0.100000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the

Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

TWA 0.200000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the

Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

CEIL 0.300000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

CEIL 0.600000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

TWA 0.100000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

CEIL 0.300000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

Potential Occupational Carcinogen

See Appendix A

TWA 0.200000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

CEIL 0.600000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

PEL 0.005000

mg/m³

OSHA Specifically Regulated

Chemicals/Carcinogens

1910.1027

This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63.

OSHA specifically regulated carcinogen

Potential Occupational Carcinogen

See Appendix A

Potential Occupational Carcinogen

See Appendix A

TWA 0.010000

mg/m³

USA. ACGIH Threshold Limit Values
(TLV)

Kidney damage

Substances for which there is a Biological Exposure Index or Indices
(see BEI® section)

Suspected human carcinogen

varies

TWA 0.002000

mg/m³

USA. ACGIH Threshold Limit Values
(TLV)

Kidney damage

Substances for which there is a Biological Exposure Index or Indices
(see BEI® section)

Suspected human carcinogen

varies

PEL 0.005000

mg/m³

OSHA Specifically Regulated
Chemicals/Carcinogens

1910.1027

This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63.

OSHA specifically regulated carcinogen

TWA 0.1 mg/m³ USA. Occupational Exposure Limits
(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

TWA 0.2 mg/m³ USA. Occupational Exposure Limits
(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

CEIL 0.3 mg/m³ USA. Occupational Exposure Limits
(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

CEIL 0.6 mg/m³ USA. Occupational Exposure Limits
(OSHA) - Table Z-2

Z37.5-1970

This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.

Substance listed; for more information see OSHA document
1910.1027

Potential Occupational Carcinogen

See Appendix A

TWA 0.01 mg/m³ USA. ACGIH Threshold Limit Values
(TLV)

Kidney damage

Substances for which there is a Biological Exposure Index or Indices

(see BEI® section)

Suspected human carcinogen

varies

TWA 0.002 mg/m³ USA. ACGIH Threshold Limit Values (TLV)

Kidney damage

Substances for which there is a Biological Exposure Index or Indices

(see BEI® section)

Suspected human carcinogen

varies

PEL 0.005 mg/m³ OSHA Specifically Regulated

Chemicals/Carcinogens

1910.1027

This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63.

OSHA specifically regulated carcinogen

Biological occupational exposure limits

Component CAS-No. Parameters Value Biological

specimen

Basis

Cadmium 7440-43-9 cadmium 0.0050

mg/g

Urine ACGIH - Biological

Exposure Indices

(BEI)

Remarks Not critical

cadmium 5.0000

µg/l

In blood ACGIH - Biological

Exposure Indices

(BEI)

Not critical

cadmium 5 µg/l In blood ACGIH - Biological

Exposure Indices

(BEI)

Not critical

cadmium 5µg/g

creatinine

Urine ACGIH - Biological

Exposure Indices

(BEI)

Not critical

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique

(without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the

supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an

industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It

should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to

the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type

N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the

sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and

approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: solid, granular

Colour: light grey

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting point/freezing point

Melting point/range: 73 - 77 °C (163 - 171 °F)

Melting point/range: 75 °C (167 °F)

f) Initial boiling point and

boiling range
No data available
g) Flash point No data available
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available
j) Upper/lower
flammability or
explosive limits
No data available
k) Vapor pressure No data available
l) Vapor density No data available
m) Relative density No data available
n) Water solubility No data available
o) Partition coefficient: noctanol/
water
No data available
p) Auto-ignition
temperature
No data available
q) Decomposition
temperature
No data available
r) Viscosity No data available
s) Explosive properties No data available
t) Oxidizing properties No data available
9.2 Other safety information
No data available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity
No data available
10.2 Chemical stability
Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
No data available
10.5 Incompatible materials
Strong acids
10.6 Hazardous decomposition products
Other decomposition products - No data available
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects
Acute toxicity
No data available
Inhalation: No data available
Dermal: No data available

No data available
Skin corrosion/irritation
No data available
Serious eye damage/eye irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Carcinogenicity
IARC: 1 - Group 1: Carcinogenic to humans (Cadmium)
NTP: Known to be human carcinogenThe reference note has been added by TD based on the background information of the NTP. (Cadmium)
OSHA: OSHA specifically regulated carcinogen (Cadmium)
Reproductive toxicity
No data available
No data available
Specific target organ toxicity - single exposure
No data available
Specific target organ toxicity - repeated exposure
No data available
Aspiration hazard
No data available
Additional Information
RTECS: Not available
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity
No data available
12.2 Persistence and degradability
No data available
12.3 Bioaccumulative potential
No data available
12.4 Mobility in soil
No data available
12.5 Results of PBT and vPvB assessment
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
12.6 Other adverse effects
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
Product
Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the

material with a
combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.
Offer surplus and
non-recyclable solutions to a licensed disposal company.
Contaminated packaging
Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3288 Class: 6.1 Packing group: II

Proper shipping name: Toxic solid, inorganic, n.o.s. (Cadmium)

Reportable Quantity (RQ): 80 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 3288 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Cadmium)

Marine pollutant:yes

IATA

UN number: 3288 Class: 6.1 Packing group: II

Proper shipping name: Toxic solid, inorganic, n.o.s. (Cadmium)

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Cadmium

CAS-No.

7440-43-9

Revision Date

2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Cadmium 7440-43-9 2007-07-01

Pennsylvania Right To Know Components

Wood's metal

CAS-No.

76093-98-6

Revision Date

Bismuth 7440-69-9

Cadmium 7440-43-9 2007-07-01

New Jersey Right To Know Components

Wood's metal

CAS-No.

76093-98-6

Revision Date

Bismuth 7440-69-9

Cadmium 7440-43-9 2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Cadmium

CAS-No.

7440-43-9

Revision Date

2009-02-01

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Cadmium

CAS-No.

7440-43-9

Revision Date

2009-02-01

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.