

# SAFETY DATA SHEET

Date Printed: 05/19/2024 Date Revised: 01/15/2022

### **SECTION 1. IDENTIFICATION**

Product Identifier: (3N5) 99.95% Tantalum Nanoprisms

Product Code: TA-M-035-NPR

CAS Number: 7440-25-7

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

## **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 Flame Flam, Sol. 1 H228 Flammable solid, GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi: Irritant R36/37/38: Irritating to eyes, respiratory system and skin. F; Highly flammable R11: Highly flammable. Information concerning particular hazards for human and environment: N/A Hazards not otherwise classified No data available. Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictograms



GHS02 GHS07 Signal word Danger Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. WHMIS classification B4 - Flammable solid D2B - Toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH FIRE REACTIVITY 1 3 1 Health (acute effects) = 1Flammability = 3Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances CAS No. / Substance Name: 7440-25-7 Tantalum Identification number(s): EC number: 231-135-5

# **SECTION 4. FIRST AID MEASURES**

Description of first aid measures If inhaled: Supply fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No information available. Indication of any immediate medical attention and special treatment needed No information available.

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media Suitable extinguishing media Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing media Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Tantalum oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Methods and material for containment and cleanup: Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7. HANDLING AND STORAGE**

Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure adequate ventilation. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Do not store together with acids. Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Specific end use(s) No information available.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: 7440-25-7 Tantalum (100.0%) PEL (USA) Long-term value: 5 mg/m<sup>3</sup> metal REL (USA) Short-term value: 10 mg/m<sup>3</sup> Long-term value: 5 mg/m<sup>3</sup> Metal TLV (USA) metal: TLV withdrawn due to insufficient data EL (Canada) Long-term value: 5 mg/m<sup>3</sup> metal EV (Canada) Long-term value: 10 mg/m<sup>3</sup> metal and oxide (total dust) Additional information: No data Exposure controls Personal protective equipment Follow typical general protective and industrial hygiene measures for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties Appearance: Form: Powder Color: gray to black Odor: Odorless Odor threshold: No data available. pH: N/A. Melting point/range: 2996 °C (5425 °F) Boiling point/range: 5429 °C (9804 °F) Sublimation temperature / start: No data available. Flammability (solid, gas): Highly flammable. Ignition temperature: No data available. Decomposition temperature: No data available. Auto igniting: No data available. Danger of explosion: No data available. **Explosion limits:** Lower: No data available. Upper: No data available. Vapor pressure: N/A. Density at 20 °C (68 °F): 16.69 g/cm<sup>3</sup> (139.278 lbs/gal) Relative density No data available. Vapor density N/A. Evaporation rate N/A. Solubility in Water (H<sub>2</sub>O): Insoluble Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A. Kinematic: N/A. Other information No information available.

# SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No information available. Incompatible materials: Acids Oxidizing agents Hazardous decomposition products: Tantalum oxide

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: N/A Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. Reproductive toxicity: N/A Specific target organ system toxicity - repeated exposure: N/A Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: N/A Subacute to chronic toxicity: N/A Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

### **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity Aquatic toxicity: No information available. Persistence and degradability: No information available. Bioaccumulative potential: No information available. Mobility in soil: No information available. Additional ecological information: General notes: Avoid transfer into the environment. Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A. Other adverse effects No information available.

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation: Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

### **SECTION 14. TRANSPORT INFORMATION**

**UN-Number** DOT, IMDG, IATA UN3089 UN proper shipping name DOT Metal powders, flammable, n.o.s. (Tantalum powder) IMDG. IATA METAL POWDER, FLAMMABLE, N.O.S. (Tantalum powder) Transport hazard class(es) DOT Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Label 4.1 Class 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives Label

4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Label 4.1 Packing group DOT, IMDG, IATA ш Environmental hazards: N/A. Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives EMS Number: F-G.S-G Segregation groups Heavy metals and their salts (including their organometallic compounds), powdered metals Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3089, Metal powders, flammable, n.o.s. (Tantalum powder), 4.1, II

# **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. **REACH - Pre-registered substances** Substance is listed. Chemical safety assessment:

# **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.