

# SAFETY DATA SHEET

Date Printed: 05/12/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (3N) 99.9% Cesium Dichromate

**Product Code:** CS-CRAT2-03

**CAS Number:** 13530-67-1

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS03 Flame over circle

Ox. Sol. 3

H272 May intensify fire; oxidizer.

GHS08 Health hazard

Carc. 1B

H350 May cause cancer.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements

Hazard pictograms



GHS03 GHS07 GHS08

Signal word

Danger

#### Hazard statements

H272 May intensify fire; oxidizer.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

#### Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220 Keep/Store away from clothing/combustible materials.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### WHMIS classification

C - Oxidizing materials

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

E - Corrosive material

#### Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 2

Flammability = 2

Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

CAS No. / Substance Name:

13530-67-1 Caesium dichromate

Identification number(s):

EC number:

236-879-4

---

## SECTION 4. FIRST AID MEASURES

#### Description of first aid measures

##### General information

Immediately remove any clothing soiled by the product.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents

Halocarbon extinguisher

Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
Open and handle container with care.  
Information about protection against explosions and fires:  
Substance/product can reduce the ignition temperature of flammable substances.  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
Conditions for safe storage, including any incompatibilities  
Requirements to be met by storerooms and receptacles:  
No special requirements.  
Information about storage in one common storage facility:  
Store away from flammable substances.  
Store away from reducing agents.  
Do not store with organic materials.  
Store away from metal powders.  
Further information about storage conditions:  
Keep container tightly sealed.  
Store in cool, dry conditions in well-sealed containers.  
Specific end use(s)  
No data available

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.  
Control parameters  
Components with limit values that require monitoring at the workplace:  
13530-67-1 Caesium dichromate (100.0%)  
PEL (USA) Long-term value: 0.005\* mg/m<sup>3</sup>  
Ceiling limit value: 0.1\*\* mg/m<sup>3</sup>  
\*as Cr(VI) \*\*as CrO<sub>3</sub>; see 29 CFR 1910.1026  
REL (USA) Long-term value: 0.001 mg/m<sup>3</sup>  
as Cr; See Pocket Guide Apps. A and C  
TLV (USA) Long-term value: 0.01 mg/m<sup>3</sup>  
as Cr  
Additional information:  
No data  
Exposure controls  
Personal protective equipment  
Follow typical protective and hygienic practices for handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.  
Maintain an ergonomically appropriate working environment.  
Breathing equipment:  
Use suitable respirator when high concentrations are present.  
Protection of hands:

Impervious gloves  
Inspect gloves prior to use.  
Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.  
Penetration time of glove material (in minutes)  
No data available  
Eye protection:  
Tightly sealed goggles  
Full face protection  
Body protection:  
Protective work clothing

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties  
Appearance:  
Form: Solid  
Color: No data available  
Odor: No data available  
Odor threshold: No data available.  
pH: N/A  
Melting point/Melting range: No data available  
Boiling point/Boiling range: No data available  
Sublimation temperature / start: No data available  
Flammability (solid, gas)  
Contact with combustible material may cause fire.  
Ignition temperature: No data available  
Decomposition temperature: No data available  
Autoignition: No data available.  
Danger of explosion: No data available.  
Explosion limits:  
Lower: No data available  
Upper: No data available  
Vapor pressure: N/A  
Density: No data available  
Relative density  
No data available.  
Vapor density  
N/A  
Evaporation rate  
N/A  
Solubility in Water (H<sub>2</sub>O): No data available  
Partition coefficient (n-octanol/water): No data available.  
Viscosity:  
Dynamic: N/A  
Kinematic: N/A  
Other information  
No data available

---

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

May intensify fire; oxidizer.

### Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Conditions to avoid

No data available

Incompatible materials:

Reducing agents

Flammable substances

Organic materials

Metal powders

Hazardous decomposition products:

Toxic metal oxide fume

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Acute toxicity:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for classification:

No data

Skin irritation or corrosion:

Causes severe skin burns.

Eye irritation or corrosion:

Causes serious eye damage.

Sensitization:

May cause an allergic skin reaction.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

May cause cancer.

EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

Cesium compounds may cause hyperirritability including spasms. Chronic ingestion of cesium has been fatal to laboratory animals.

Subacute to chronic toxicity:

No effects known.

Subacute to chronic toxicity:

Chromates may cause ulceration and perforation of the nasal septum, liver and kidney damage, and ulceration of the skin.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Ecotoxicological effects:

Remark:

Very toxic for aquatic organisms

Additional ecological information:

Do not allow product to reach groundwater, water courses, or sewage systems.

Do not allow material to be released to the environment without official permits.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

Other adverse effects

No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

---

## SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA

UN3087

UN proper shipping name

DOT

Oxidizing solid, toxic, n.o.s. (Caesium dichromate)

IMDG, IATA

OXIDIZING SOLID, TOXIC, N.O.S. (Caesium dichromate)

Transport hazard class(es)

DOT

Class

5.1 Oxidising substances.

Label

5.1+6.1

Class

5.1 (OT2) Oxidizing substances

Label

5.1+6.1

IMDG, IATA

Class

5.1 Oxidising substances.

Label

5.1+6.1

Packing group

DOT, IMDG, IATA

III

Environmental hazards:

Environmentally hazardous substance, solid

Special precautions for user

Warning: Oxidizing substances

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation":

UN3087, Oxidizing solid, toxic, n.o.s. (Caesium dichromate), 5.1 (6.1), III

---

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS GHS label elements, including precautionary statements

Hazard pictograms

GHS03

GHS07

GHS08

Signal word

Danger



#### Hazard statements

H272 May intensify fire; oxidizer.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

#### Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220 Keep/Store away from clothing/combustible materials.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only.

This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings)

13530-67-1 Caesium dichromate

California Proposition 65

Prop 65 - Chemicals known to cause cancer

13530-67-1 Caesium dichromate

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

13530-67-1 Caesium dichromate

Prop 65 - Developmental toxicity, male

13530-67-1 Caesium dichromate

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

**AMERICAN ELEMENTS** | 10884 WEYBURN AVE. | LOS ANGELES, CALIFORNIA 90024  
TEL. 310-208-0551 | FAX 310-208-0351 | customerservice@americanelements.com