

# SAFETY DATA SHEET

Date Printed: 05/09/2024 Date Revised: 01/15/2022

### **SECTION 1. IDENTIFICATION**

Product Identifier: (4N) 99.99% Lead Chromate

Product Code: PB-CRAT-04

CAS Number: 7758-97-6

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

## **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS08 Health hazard Carc. 1B H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child. STOT RE 2 H373 May cause damage to the kidneys and the blood through prolonged or repeated exposure. Route of exposure: Oral. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS08 Signal word

Danger Hazard statements H350 May cause cancer. H360 May damage fertility or the unborn child. H373 May cause damage to the kidneys and the blood through prolonged or repeated exposure. Route of exposure: Oral. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P281 Use personal protective equipment as required. P308+P313 IF exposed or concerned: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 2Flammability = 0Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical characterization: Substances CAS# Description: 7758-97-6 Lead(II) chromate Identification number(s): EC number: 231-846-0 Index number: 082-004-00-2

## **SECTION 4. FIRST AID MEASURES**

Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Lead oxide fume Chromium oxides Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## SECTION 7. HANDLING AND STORAGE

Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Do not store with organic materials. Store away from metal powders. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: 7758-97-6 Lead(II) chromate (100.0%) PEL (USA) Long-term value: 0.005\* mg/mÂ<sup>3</sup> Ceiling limit value: 0.1\*\* mg/mÂ<sup>3</sup> \*as Cr(VI) \*\*as CrO3; see 29 CFR 1910.1026 REL (USA) Long-term value: 0.001 mg/mÂ<sup>3</sup> as Cr; See Pocket Guide Apps. A and C TLV (USA) Long-term value: 0.05\* 0.012\*\* mg/mÂ3 \*as Pb; BEI ; \*\*as Cr EL (Canada) Long-term value: 0.05\* 0.012\*\* mg/mÂ<sup>3</sup> ACIGH A2, IARC 2A; R; \*as Pb;\*\*as Cr EV (Canada) Long-term value: 0.012\* 0.05\*\* mg/mÂ<sup>3</sup> \*as Cr, \*\*as Pb Ingredients with biological limit values: 7758-97-6 Lead(II) chromate (100.0%) BEI (USA) 30 μq/100 ml Medium: blood Time: not critical Parameter: Lead 10 μq/100 ml Medium: blood Time: not critical Parameter: Lead (women of child bearing potential) Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on guality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm Eye protection: Safety glasses Body protection: Protective work clothing.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties **General Information** Appearance: Form: Powder Color: Yellow Odor: Odorless Odor threshold: Not determined. pH-value: Not applicable. Change in condition Melting point/Melting range: 844 °C (1551 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flammability (solid, gaseous) Not determined. Ignition temperature: Not determined Decomposition temperature: Not determined Auto igniting: Not determined. Danger of explosion: Not determined. Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure at 20 ŰC (68 ŰF): 0 hPa Density at 20 ŰC (68 ŰF): 6.3 g/cmÅ<sup>3</sup> (52.574 lbs/gal) Relative density Not determined. Vapor density

Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water at 25 ŰC (77 ŰF): 0.000058 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable. Other information No further relevant information available.

# SECTION 10. STABILITY AND REACTIVITY

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Organic materials Metal powders Hazardous decomposition products: Lead oxide fume Chromium oxides

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: Oral LD50 >12000 mg/kg (mouse) Skin irritation or corrosion: May cause irritation Eve irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: May cause cancer. EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.

ACGIH A2: Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. Available epidemiologic studies are conflicting or insufficient to confirm an increased risk of cancer in exposed humans. NTP-K: Known to be carcinogenic: sufficient evidence from human studies. (inhalation) EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer. (inhalation) EPA-K: Known human carcinogens. (oral) EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available. (oral) EPA-CBD: Carginogenic potential cannot be determined. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. Reproductive toxicity: May damage fertility or the unborn child. Specific target organ system toxicity - repeated exposure: May cause damage to the kidneys and the blood through prolonged or repeated exposure. Route of exposure: Oral. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. **Bioaccumulative potential** No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system, even in small guantities. Danger to drinking water if even extremely small guantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT:

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

## **SECTION 14. TRANSPORT INFORMATION**

**UN-Number** DOT, IMDG, IATA UN3077 UN proper shipping name DOT Environmentally hazardous substances, solid, n.o.s. (Lead(II) chromate) IMDG. IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead(II) chromate) Transport hazard class(es) DOT, IMDG Class 9 Miscellaneous dangerous substances and articles. Label 9 Class 9 (M7) Miscellaneous dangerous substances and articles Label 9 IATA Class 9 Miscellaneous dangerous substances and articles. Label 9 Packing group DOT, IMDG, IATA Ш Environmental hazards: Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special precautions for user Warning: Miscellaneous dangerous substances and articles EMS Number: F-A,S-F

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3077, Environmentally hazardous substances, solid, n.o.s. (Lead(II) chromate), 9, III

### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture **GHS** label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS08 Signal word Danger Hazard statements H350 May cause cancer. H360 May damage fertility or the unborn child. H373 May cause damage to the kidneys and the blood through prolonged or repeated exposure. Route of exposure: Oral. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P281 Use personal protective equipment as required. P308+P313 IF exposed or concerned: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) 7758-97-6 Lead(II) chromate California Proposition 65 Prop 65 - Chemicals known to cause cancer 7758-97-6 Lead(II) chromate Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female 7758-97-6 Lead(II) chromate Prop 65 - Developmental toxicity, male 7758-97-6 Lead(II) chromate Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. This substance is included in the Candidate List of Substances of Very High Concern (

SVHC) according to Regulation (EC) No. 1907/2006 (REACH).

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.