

# SAFETY DATA SHEET

Date Printed: 05/09/2024 Date Revised: 01/15/2022

## **SECTION 1. IDENTIFICATION**

Product Identifier: (5N) 99.999% Barium Hafnium Oxide

Product Code: BA-HFO-05

**CAS Number:** 151640-29-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

# **SECTION 2. HAZARDS IDENTIFICATION**

Signal Word: Warning



Hazard Statements:

H302+H332: Harmful if swallowed or if inhaled

**Precautionary Statements:** 

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264: Wash thoroughly after handling

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312: Call a POISON CENTER or doctor/physician if you feel unwell

P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 1

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Family: Ceramic

Additional Names: Barium hafnate

### **SECTION 4. FIRST AID MEASURES**

**General Treatment:** 

Seek medical attention if symptoms persist.

**Special Treatment:** 

None

Important Symptoms:

None

Inhalation:

Remove victim to fresh air. Supply oxygen if breathing is difficult.

Ingestion:

Seek Medical Attention.

Skin:

Wash affected area with mild soap and water. Remove any contaminated clothing.

Eves:

Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

## **SECTION 5. FIREFIGHTING MEASURES**

Flammability:

Non-flammable

Extinguishing Media:

No special restrictions –use suitable extinguishing agent for surrounding material and type of fire.

Thatonar and type of mo.

Spec. Fire Fighting Procedure:

Use full-face, self-contained breathing apparatus with full protective

clothing to prevent contact with skin and eyes.

See section 10 for decomposition products.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

If Material Is Released/Spilled:

Wear appropriate respiratory and protective equipment specified in

special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

**Environmental Precautions:** 

Isolate runoff to prevent environmental pollution.

## **SECTION 7. HANDLING AND STORAGE**

Handling Conditions:

Handle under dry protective gas. Wash thoroughly after handling.

**Storage Conditions:** 

Store in a cool dry place in a tightly sealed container. Handle under dry inert gas. Store apart from materials and conditions listed in section 10.

Work/Hygienic Maintenance:

Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with compressed air.

Ventilation:

Provide sufficient ventilation to maintain concentration at or below threshold limit.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Permissible Exposure Limits:

0.5mg/m3 as Ba/Hf, long-term value

Threshold Limit Value:

0.5 mg/m3 as Ba/Hf, long-term value

Special Equipment:

None

Respiratory Protection:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

**Protective Gloves:** 

Nitrile rubber

Eye Protection:

Safety glasses or goggles

**Body Protection:** 

Protective work clothing. Wear close-toed shoes and long sleeves/pants.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Color: Grey-white

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: Odorless Water Solubility: N/A Boiling Point: N/A Melting Point: N/A Flash Point: N/A

Autoignition Temperature: N/A

Density: N/A

Molecular weight: N/A

## **SECTION 10. STABILITY AND REACTIVITY**

Stability:

Stable under recommended storage conditions

Reacts With:

Oxidizing agents
Incompatible Conditions:
Water/moisture
Hazardous Decomposition Products:
Metal oxide fume

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Potential Health Effects: Eyes: May cause irritation Skin: May cause irritation

Ingestion: Harmful Inhalation: Harmful Chronic: N/A

Signs & Symptoms: N/A

Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: N/A

## **SECTION 12. ECOLOGICAL INFORMATION**

Aquatic Toxicity: Low

Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No

Notes: N/A

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local, state, national, and international regulations.

## **SECTION 14. TRANSPORT INFORMATION**

Hazardous: Not hazardous for transportation.

Hazard Class: N/A Packing Group: N/A UN Number: N/A

Proper Shipping Name: N/A

#### **SECTION 15. REGULATORY INFORMATION**

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A

Sec 313 Toxic Chemicals: Component: Barium oxide

#### 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.